

LED UFO LIGHT

LED UFO LIGHT

UL and DLC certificate
IP65 Waterproof Rating
Easy to install and operate
120 degree Beam Angle lighting
Energy saving, long service life

Features


300W available
IP65 Waterproof Dust Free
High Credibility
UL DLC Approved
140LM/W SMD3030 Chips
5 years warranty
AC100-277V input
120 degree Beam Angle
6K High voltage Surge test approved.
Significant energy and maintenance savings
Quick & Easy Installation
Net weight(300W): 7KG(1 PCS) Gross weight(300W): 8KG(1 PCS)

Applications

LED UFO Light series can be widely used in supermarket,warehouse,garage,factory,workshops, highway toll station,gas station,exhibition hall,commercial and industrial lighting etc.




300W




Series	Lumens	Base	Beam Angle (Degree)	Electrical Data	LED Type	Color temperature	Color rendering index
NG-UFO-300W	42000LM 42,000 lumens	3 pin wires	120 degree	Input Voltage 100-277V 50~60Hz Total Power(W) 300W Power Factor(%) >90	SMD3030 chips	WW 3000 K NW 4000 K DW 5000 K CW 5700 K	70 70 CRI 80 80 CRI 90 90 CRI


1. Open outer box take out light and ring.
2. Install ring in the light body according to the diagram.
Installed the ring with light must reliable.



3. Install ring in sturdy hook.



4. Hang the safety wire one side in the lamp body, another side hang in sturdy hook shown by diagram.




5. Wiring by below diagram

Black wire connect L


Green wire connect

White wire connect

Turn on the power to lighting.



PACKAGE



APPLICATIONS

