

LED Garden Light

80W/100W/120W/150W



General illumination

Reduces lumen maintain flux and working life if used in sealed lamp fixtures. ①

Applicable cover




Applications

Gas station



Parking lot



Corridor




Mall



Light pole




garden



Features

- Specially designed for indoor and outdoor lighting. This lamp could replace the traditional lamp directly. suitable for different traditional light fixture with easy installation.
- Die casting aluminum heat dissipation and fan circulation air design, exchange cooling system to accelerate heat dissipation.
- High-luming LED 2835SMD, lamp light efficiency up to 130-140lm /W, Long life.
- No RF interference, No IR/UV radiation, No mercury pollution.
- Widely replace the CFL/MH/HID/HPS. Applied to the Canopy Lighting, High/Low bay Lighting, Road Lighting etc.




Beam angle
(10%)



Light down


Parameter



Model	Power	Lumens (LM)	Voltage	Luminous Eff.	CCT(K)	Dim. (E39)	CRI	SMD	Weight	IP Rate
NS-GLA80W-01C-U	80W	10400LM ±300LM	AC100-277V	130lm/W	2500-7000K	Ø169x203mm Ø6.65x8in	>80	2835	1.5Kg	IP64
NS-GLA100W-01C-U	100W	13500LM ±300LM	AC100-277V	135lm/W	2500-7000K	Ø169x203mm Ø6.65x8in	>80	2835	1.5Kg	IP64
NS-GLA120W-01C-U	120W	16200LM ±500LM	AC100-277V	135lm/W	2500-7000K	Ø169x203mm Ø6.65x8in	>80	2835	1.5Kg	IP64
NS-GLA150W-01C-U	150W	19500LM ±500LM	AC100-277V	130lm/W	2500-7000K	Ø169x203mm Ø6.65x8in	>80	2835	1.5Kg	IP64

Logistical Data



Package





Packaging unit (Pieces/Unit)	Dimensions	Gross weight	Volume
Small box 1	20.5*20.5*24.5cm	1.6Kg	0.01m ³
Outer Carton 12	63*42.5*52cm	21Kg	0.14m ³

Installation

Replace CFL



Replace HPS/HID/MH



LED Corn lamp



HPS/HID/MH

80W	250W
100W	300W
120W	360W
150W	450W



Material